

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau


INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : G06F 17/30		A1	(11) International Publication Number: WO 00/23916
			(43) International Publication Date: 27 April 2000 (27.04.00)
(21) International Application Number: PCT/US99/23712			(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
(22) International Filing Date: 8 October 1999 (08.10.99)			
(30) Priority Data: 09/173,866 16 October 1998 (16.10.98) US			
(71) Applicant: SOFTBOOK PRESS, INC. [US/US]; 1075 Curtis Street, Suite 200, Menlo Park, CA 94025 (US).			
(72) Inventors: CONBOY, Garth; 359 Belvedere Street, La Jolla, CA 92037 (US). DUGA, Brady; 3342 Cuesta Place, Carlsbad, CA 92009 (US). LESHNER, William, S.; 3340 Cuesta Place, Carlsbad, CA 92009 (US). NOVICOV, Aleksey; 308 Bryant Court, Palo Alto, CA 94301 (US). SACHS, James; 503 Gilbert Avenue, Menlo Park, CA 94025 (US).			
(74) Agents: BLAKELY, Roger, W. et al.; Blakely, Sokoloff, Taylor & Zafman, 7th floor, 12400 Wilshire Boulevard, Los Angeles, CA 90025-1026 (US).			

Published*With international search report.**Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.*(54) Title: **ON-LINE IMAGE CACHING CONTROL FOR EFFICIENT IMAGE DISPLAY**

(57) Abstract

A method for on-line controlling caching of an image on a viewing device to efficiently display the image on the viewing device. The method comprises the following steps: (a) sending from a server to the viewing device an image tag included in a hypertext language code, the image tag having attributes, the attributes specifying the image; (b) parsing the hypertext language code including the image tag; (c) searching for a copy of the image in a cache memory of the viewing device using the image tag attributes; (d) displaying the copy of the image if the copy of the image is found in the cache memory and is current; (e) fetching the image from the server if the copy of the image is not found in the cache memory or if the copy of the image is not current; and (f) storing the fetched image and the image tag attributes in the cache memory.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

ON-LINE IMAGE CACHING CONTROL FOR EFFICIENT IMAGE DISPLAY

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates generally to a distribution system of digital contents, i.e., digitally encoded published materials. More particularly, the invention relates to a method and a system for on-line controlling caching of an image on a viewing device to efficiently display the image on the viewing device.

2. Description of Related Art

Advances in computer and communication technology have provided to the consumers a convenient and economical means to access information in a variety of media. One particular area of information access is the electronic books. An electronic book is a viewing device that receives printed materials in the form of digital data downloaded from an information network. A user of an electronic book can read downloaded contents of books and printed materials subscribed from a participating bookstore at his or her own convenience without the need to purchase the printed copies of the books.

The World Wide Web (WWW) has now become a popular means for publishing printed materials in the open network domain. The WWW refers to the abstract cyberspace of information which is transmitted over the physical networks, such as the Internet. The WWW publishing works under a client-server model. A Web server is a program running on a server to serve documents to other

computers or devices that send requests for the documents. A Web client is a program that lets the user request documents from a server. To facilitate the downloading of printed materials, the contents of these documents are typically created in a form compatible with the network transmission format. The documents sent by a server are in a hypertext language format. A popular hypertext language is the HyperText Markup Language (HTML), which is a fairly limited formatting language.

When an image is to be sent to a viewing device, the server sends the following HTML image tag:

```
<IMG SRC="<location>" [HEIGHT = <n>] [WIDTH=<n>]>
```

The image tag attribute SRC has the value <location> which specifies the location of the image at the server. The attributes HEIGHT and WIDTH which provide the image height and width information are optional.

After parsing the image tag and its attributes, the viewing device performs the following actions to obtain and display the image:

- a. The viewing device opens a network connection to the location specified by the SRC attribute value.
- b. The viewing device starts downloading the image.
- c. Using the "modification date/time" from the supplied image file, the viewing device determines whether a locally cached copy of the image is current.
- d. If there is no locally cached copy of the image, or if the locally cached version is not current, the viewer continues the image

transfer and the image will be displayed (and optionally added to the local cache memory).

- e. If there is a locally cached copy of the image and the modification date indicates that the cached copy is current, the viewer will then abort the image transfer and use the locally cached copy.

In the above standard procedure, the opening of the network connection and the start of the image downloading are unnecessary when a current copy of the image is already locally cached. These two potentially unnecessary actions significantly degrade the image display performance, especially on slow network connection links, such as the point-to-point protocol (PPP) link.

Therefore, currently, there is a need for a simple and efficient method to perform on-line image caching control for efficient image display using a hypertext language.

SUMMARY OF THE INVENTION

The present invention is a method for on-line controlling caching of an image on a viewing device to efficiently display the image on the viewing device. The method comprises the following steps: (a) sending from a server to the viewing device an image tag included in a hypertext language code, the image tag having attributes, the attributes specifying the image; (b) parsing the hypertext language code including the image tag; (c) searching for a copy of the image in a cache memory of the viewing device using the image tag attributes; (d) displaying the copy of the image if the copy of the image is found in the cache memory and is current; (e) fetching the image from the server if the copy of the image is not found in the cache memory or if the copy

of the image is not current; and (f) storing the fetched image and the image tag attributes in the cache memory.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a diagram illustrating a system in which one embodiment of the invention can be practiced.

Figure 2 is a flowchart illustrating the method of the present invention.

Figure 3 is a block diagram of the system of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

The present invention is a method and a system for on-line controlling caching of an image on a viewing device to efficiently display the image on the viewing device.

Figure 1 is a diagram illustrating a system 100 in which one embodiment of the invention can be practiced.

Referring to Figure 1, the system 100 comprises: (a) at least one portable electronic book 10 operative to request a digital content from a catalog of distinct digital contents, to receive and display the requested digital content in readable form; (b) an information services system 20 which includes an authentication server 32 for authenticating the identity of the requesting portable electronic book 10 and a copyright protection server 22 for rendering the requested digital content sent to the requesting portable electronic book 10 readable only by the requesting portable electronic book 10; (c) at least one primary virtual bookstore 40 in electrical communication with the information

services system 20, the primary virtual bookstore being a computer-based storefront accessible by the portable electronic book and including the catalog of distinct digital contents; and (d) a repository 50, in electrical communication with the primary virtual bookstore 40, for storing the distinct digital contents listed in the catalog.

The system 100 preferably includes more than one portable electronic book 10, to be commercially viable. This is illustrated in Figure 1 by including the portable electronic books 12 and 14. The system also preferably includes more than one primary virtual bookstore 40, each serving a different set of customers, each customer owning a portable electronic book.

The system 100 can further comprise a secondary virtual bookstore 60 in electrical communication with the information services system 20. In this case, the information services system 20 also includes a directory of virtual bookstores 26 in order to provide the portable electronic book 10 with access to the secondary virtual bookstore 60 and its catalog of digital contents.

The information services system 20 can optionally include a notice board server for sending messages from one of the virtual bookstores, primary or secondary, to a portable electronic book in the system.

The information services system 20 also includes a registration server 24 for keeping track of the portable electronic books that are considered active accounts in the system and for ensuring that each portable electronic book is associated with a primary virtual bookstore in the system. In the case where the optional notice board server is included in the information services system 20, the registration server

24 also allows each portable electronic book user to define his/her own notice board and document delivery address.

The information services system 20 preferably comprises a centralized bookshelf 30 associated with each portable electronic book 10 in the system. Each centralized bookshelf 30 contains all digital contents requested and owned by the associated portable electronic book 10. Each portable electronic book 10 user can permanently delete any of the owned digital contents from the associated centralized bookshelf 30. Since the centralized bookshelf 30 contains all the digital contents owned by the associated portable electronic book 10, these digital contents may have originated from different virtual bookstores. The centralized bookshelf 30 is a storage extension for the portable electronic book 10. Such storage extension is needed since the portable electronic book 10 has limited non-volatile memory capacity.

The user of the portable electronic book 10 can add marks, such as bookmarks, inking, highlighting and underlining, and annotations on a digital content displayed on the screen of the portable electronic book, then stores this marked digital content in the non-volatile memory of the electronic book 10. The user can also upload this marked digital content to the information services system 20 to store it in the centralized bookshelf 30 associated with the portable electronic book 10, for later retrieval. It is noted that there is no need to upload any unmarked digital content, since it was already stored in the centralized bookshelf 30 at the time it was first requested by the portable electronic book 10.

The information services system 20 further includes an Internet Services Provider (ISP) 34 for providing Internet network access to each portable electronic book in the system.

In the system 100, the portable electronic book 10 can request and download a digital content from one of the virtual bookstores. The method of the present invention is applicable to the system 100 when images are included in the requested digital content. The present method allows the virtual bookstore to perform on-line image caching control for efficient image display on the portable electronic book using a hypertext language.

Figure 2 is a flowchart illustrating the method of the present invention.

Figure 3 is a block diagram of the system of the present invention. The system includes a server 300 and a viewing device 400. The viewing device 400 includes a display screen 402, a processor 404 and a cache memory 406.

Referring to Figure 2 and 3, after the viewing device 400 requests from the server 300 a page which includes an image, the server 300 sends to the viewing device 400 a hypertext language code which includes an image tag and image tag attributes which specify the requested image (Block 202).

In addition to the standard image tag attribute SRC which specifies the remote location of the image at the server, and optional attributes HEIGHT and WIDTH which provide information on the image height and width, the hypertext language code of the present invention also includes additional novel image tag attributes. In one embodiment of the invention, the novel image tag attributes include a LOCALTYPE to indicate the type of the requested image, a LOCALID or a LOCALNAME to specify which image of the type indicated by LOCALTYPE is to be displayed. The value of LOCALTYPE can be JPEG (JPEG file interchange), GIF (CompuServe bitmap), PICT, PNG, or any

other image type. The image can be looked up by either LOCALID or by LOCALNAME. LOCALID has a numeric value, while LOCALNAME has a string value. The image tag attributes also include a LOCALSIGNATURE to indicate the age of the image. LOCALSIGNATURE can either be the modification date/time of the image or it can be an arbitrary version stamp for the image. These attributes can be specified in a hypertext language as follows:

```
LOCALTYPE = [PICT | GIF | JPEG | <other image type>]  
[LOCALID = <n> | LOCALNAME = "<name>"]  
LOCALSIGNATURE = <n>
```

The processor 404 parses the hypertext language code and identifies the image tag and image tag attributes. (Block 204). The processor 404 then searches for a copy of the image in the cache memory 406 using the image tag attributes for identification (Block 206). In one embodiment of the invention, the processor uses the image attribute LOCALTYPE and either LOCALNAME or LOCALID to determine whether a copy of the specified image is in the cache memory 406 (Block 208).

If the copy of the image is found in the cache memory 406, then the processor 404 determines whether the copy is current (Block 210) by comparing the LOCALSIGNATURE of the specified image to the signature of the locally cached copy of the image. If the LOCALSIGNATURE and the signature of the locally cached copy of the image match, then the processor 404 displays the locally cached copy of the image (Block 216).

If a copy of the image is not found in the cache memory 406, or if the copy of the image is found but the LOCALSIGNATURE and the signature of the locally cached copy of the image do not match, then the

processor 404 makes a network connection to the server to fetch the image from the server 300 using the image remote identification attribute SRC to indicate the image location at the server 300 (Block 212).

After the image is fetched, it is stored in the cache memory 406 (Block 214) using the LOCALTYPE and either LOCALNAME or LOCALID as entry keys. Both the image and the image LOCALSIGNATURE are stored in the cache memory 406. The fetched and stored image is then displayed (Block 216).

Any subsequent request for this fetched and stored image will yield matches between the image attributes and the locally cached attributes, and the cached image will be displayed without any additional required network traffic between the viewing device 400 and the server 300.

The present invention allows a viewing device 400, such as an electronic book or a Web browser, to quickly determine the location of an image, which is included in a requested page, without the need for any additional network traffic and thus increases display efficiency.

The present invention can be practiced in the system 100 of Figure 1. In this case, the system for on-line controlling the caching of an image includes a virtual bookstore 40 (or 60, 62, 64) as the server and a portable electronic book 10 (or 12, 14) as the viewing device.

While certain exemplary embodiments have been described in detail and shown in the accompanying drawings, it is to be understood that such embodiments are merely illustrative of and not restrictive on the broad invention, and that this invention is not to be limited to the specific arrangements and constructions shown and described, since

various other modifications may occur to those with ordinary skill in the art.

CLAIMS

What is claimed is:

1. A method for on-line controlling caching of an image on a viewing device to efficiently display the image on the viewing device, the method comprising the steps of:

(a) sending from a server to the viewing device an image tag included in a hypertext language code, the image tag having attributes, the attributes specifying the image;

(b) parsing the hypertext language code including the image tag;

(c) searching for a copy of the image in a cache memory of the viewing device using the image tag attributes;

(d) displaying the copy of the image if the copy of the image is found in the cache memory and is current;

(e) fetching the image from the server if the copy of the image is not found in the cache memory or if the copy of the image is not current; and

(f) storing the fetched image and the image tag attributes in the cache memory.

2. The method of Claim 1 wherein the image tag attributes include a local identification, the local identification facilitating the search for a copy of the image in the cache memory of the viewing device.

3. The method of Claim 2 wherein the local identification has a numeric value or a string value.

4. The method of Claim 1 wherein the image tag attributes include an image type, the image type having a value.

5. The method of Claim 4 wherein the image type value includes one of the values PICT, GIF, and JPEG.

6. The method of Claim 1 wherein the image tag attributes include an image signature, the image signature having a first value.

7. The method of Claim 6 wherein in step (d) the copy of the image found in the cache memory has a copy signature, and wherein the copy of the image is current if the copy signature has a second value equal to the first value of the image signature.

8. The method of Claim 6 wherein the image signature first value is a modification date/time of the image or a version stamp of the image.

9. The method of Claim 1 wherein the image tag attributes include a remote identification, the remote identification having a value facilitating fetching of the image from the server.

10. A system for on-line controlling caching of an image on a viewing device to efficiently display the image on the viewing device, the system comprising:

(a) a server in electrical communication with the viewing device, the server sending to the viewing device a hypertext language code including an image tag, the image tag having attributes, the attributes specifying the image; and

(b) the viewing device for viewing the image, the viewing device including:

a display screen for displaying the image;

a cache memory;

a processor coupled to the cache memory and the display screen, the processor parsing the hypertext language code including the image tag, searching for a copy of the image in the cache memory using the image tag attributes, displaying the copy of the image if the copy of the image is found in the cache memory and is current, fetching the image from the server if the copy of the image is not found in the cache memory or if the copy of the image is not current, and storing the fetched image and the image tag attributes in the cache memory.

11. The system of Claim 10 wherein the server is a virtual bookstore.

12. The system of Claim 10 wherein the viewing device is a portable electronic book.




Fig. 1




Fig. 2




Fig. 3

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US 99/23712

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 G06F17/30		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 7 G06F		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	GOLDBERG K ET AL: "Beyond the Web: manipulating the real world" COMPUTER NETWORKS AND ISDN SYSTEMS, NL, NORTH HOLLAND PUBLISHING. AMSTERDAM, vol. 28, no. 1, 1 December 1995 (1995-12-01), pages 209-219, XP004001227 ISSN: 0169-7552 page 213, right-hand column, line 14 - line 19	1,6-10
Y	EP 0 813 159 A (SUN MICROSYSTEMS INC) 17 December 1997 (1997-12-17) page 4, line 11 - page 5, line 59	1,6-10
<input type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.		
* Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "A" document member of the same patent family		
Date of the actual completion of the international search 18 February 2000		Date of mailing of the international search report 25/02/2000
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Fax: (+31-70) 340-3016		Authorized officer Fournier, C

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 99/23712

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0813159 A	17-12-1997	US 5826031 A	20-10-1998
		JP 10124413 A	15-05-1998